



MODERN  
**MOULDING**

CANTILEVER  
COPING  
STYROFOAM  
FORMS



AN AUTHORIZED  
DISTRIBUTOR OF  
MODERN MOULDING



MODERN  
MOULDING

The innovative system designed by Modern Moulding can cut hours off installation and cleanup time. With one of our offered coping kits, a standard pool can be set up and ready to pour in as little as one hour. Versatility is provided with a variety of profile designs, as well as installation capabilities for **vinyl, fiberglass, concrete/gunite pools and autocover.**

## BENEFITS:

- Can combine forms onto existing Fox & Quaker shipments at no additional cost.
- No two-way tape required
- Easy to install

### VINYL LINERS ONLY

- Forms wedge directly into liner track, leaving track clean of debris.
- Modern Moulding's Vinyl Liner system uses reusable lock-in clips to hold the forms in place. These clips have an extended support to keep the forms from tilting when concrete is poured.





# VINYL

\*AVAILABLE IN 112'/BOX OR 32'/BOX

PART #	DESCRIPTION	EXTENDED DESCRIPTION
FX-NC	8' CAPSTONE VINYL LINER - 14/BX	8' x 14pcs - 112 Linear FT/Box
FX-NC-32	8' CAPSTONE VINYL LINER - 4/BX	8' x 4pcs - 32 Linear FT/Box
FX-SQP	8' SQUARE VINYL LINER - 14/BX	8' x 14pcs - 112 Linear FT/Box
FX-SQP-32	8' SQUARE VINYL LINER - 4/BX	8' x 4pcs - 32 Linear FT/Box
FX-BN	8' BULLNOSE VINYL LINER - 14/BX	8' x 14pcs - 112 Linear FT/Box
FX-BN-32	8' BULLNOSE VINYL LINER - 4/BX	8' x 4pcs - 32 Linear FT/Box
FX-CRC	8' SHORT VINYL LINER - 14/BX	8' x 14 pcs - 112 Linear FT/Box
FX-CRC-32	8' SHORT VINYL LINER - 4/BX	8' x 4pcs - 32 Linear FT/Box
FX-ICC	8' REGULAR V LINER - 14/BX	8' x 14 pcs - 112 Linear FT/Box
FX-ICC-32	8' REGULAR V LINER - 4/BX	8' x 4pcs - 32 Linear FT/Box
FX-LIVEEDGE225	2.25" High x 8' LIVE EDGE VINYL LINER-14/BX +1 roll of DBL sided tape	8' x 14pcs - 112 Linear FT/Box
FX-LIVEEDGE3	3" High x 8' LIVE EDGE VINYL LINER-14/BX + 1 roll of DBL sided tape	8' x 14pcs - 112 Linear FT/Box




## TIPS:


- Remove bending tape before pouring concrete.
- Lubricate forms with an oil, or cooking spray before pouring for easy removal.
- Vibrate forms gently with your hand or a gentle vibrating tool. A 5-6 slump is recommended.
- Clips should be 8 - 10" apart on a rectangular pool and 10-12" apart on a free form pool.

## INSTRUCTIONS


1. Choose a profile
2. Tape the forms where bending is required. 3" filament tape is highly recommended. (*See pages 16-17 for clips & accessories*).
3. Insert each 8' foam piece coping into the liner track.
4. Using the scribed line as a guide, insert the reusable clip horizontally into the track. \**double track not required*
5. Lock the clip with a 1/4 turn.



FX-NC




FX-BN




FX-ICC




FX-CRC



FX-SQP



FX-LIVEEDGE3



FX-LIVEEDGE225



# FIBERGLASS

\*AVAILABLE IN 112'/BOX OR 32'/BOX

PART #	DESCRIPTION	#FX-CC-UD CLIPS INCLUDED	EXTENDED DESCRIPTION
FX-NC-FG	8' CAPSTONE FIBERGLASS - 14/BX	100	8' x 14pcs - 112 Linear FT/Box
FX-NC-FG-32	8' CAPSTONE FIBERGLASS - 4/BX	40	8' x 4pcs - 32 Linear FT/Box
FX-SQP-FG	8' SQUARE FIBERGLASS - 14/BX	100	8' x 14pcs - 112 Linear FT/Box
FX-SQP-FG-32	8' SQUARE FIBERGLASS - 4/BX	40	8' x 4pcs - 32 Linear FT/Box
FX-BN-FG	8' BULLNOSE FIBERGLASS - 14/BX	100	8' x 14pcs - 112 Linear FT/Box
FX-BN-FG-32	8' BULLNOSE FIBERGLASS - 4/BX	40	8' x 4pcs - 32 Linear FT/Box
FX-CRC-FG	8' SHORT FIBERGLASS - 14/BX	100	8' x 14pcs - 112 Linear FT/Box
FX-CRC-FG-32	8' SHORT FIBERGLASS - 4/BX	40	8' x 4pcs - 32 Linear FT/Box
FX-ICC-FG	8' REGULAR FIBERGLASS - 14/BX	100	8' x 14pcs - 112 Linear FT/Box
FX-ICC-FG-32	8' REGULAR FIBERGLASS - 4/BX	40	8' x 4pcs - 32 Linear FT/Box
FX-LIVEEDGE225FG	2.25" High x 8' LIVE EDGE FIBERGLASS-14/BX + 1 roll of DBL sided tape	100	8' x 14pcs - 112 Linear FT/Box
FX-LIVEEDGE3FG	3" High x 8' LIVE EDGE FIBERGLASS-14/BX + 1 roll of DBL sided tape	100	8' x 14pcs - 112 Linear FT/Box


## TIPS:

- Remove bending tape before pouring concrete.
- Lubricate forms with oil spray, or cooking spray before pouring, for easy removal.
- Vibrate forms gently with your hand or a gentle vibrating tool. A 5-6 slump is recommended.
- We recommend that clips are 10-12" apart.
- Same day stripping is recommended.




## INSTRUCTIONS


1. Modern Moulding Styrofoam Forms are designed to cradle the fiberglass pool wall, eliminating the need for a plumb strip.
2. Forms are perforated every 3" to accommodate the 2 piece Universal clip as required (**See pages 16-17 for clips & accessories**). Place forms along the pool and screw down the UD Clip to the top of the fiberglass or concrete pool.
3. Once the concrete is poured and you're ready to strip, slide off the UB clip and remove the forms one 8ft. section at a time. Use the slide hammer tool to pull out the remaining UD tab.




FX-NC-FG




FX-BN-FG



FX-ICC-FG



FX-CRC-FG



FX-SQP-FG



FX-LIVEEDGE3FG



FX-LIVEEDGE225FG



# CONCRETE/GUNITE

\*AVAILABLE IN 112'/BOX OR 32'/BOX

PART #	DESCRIPTION	# FX-CC-UD CLIPS INCLUDED	EXTENDED DESCRIPTION
FX-NC-FGWT	8' CAPSTONE CONCRETE W/TILE - 14/BX	100	8' x 14pcs - 112 Linear FT/Box
FX-NC-FGWT-32	8' CAPSTONE CONCRETE W/TILE - 4/BX	40	8' x 4pcs - 32 Linear FT/Box
FX-SQP-FGWT	8' SQUARE CONCRETE W/TILE - 14/BX	100	8' x 14pcs - 112 Linear FT/Box
FX-SQP-FGWT-32	8' SQUARE CONCRETE W/TILE - 4/BX	40	8' x 4pcs - 32 Linear FT/Box
FX-BN-FGWT	8' BULLNOSE CONCRETE W/TILE - 4/BX	100	8' x 14pcs - 112 Linear FT/Box
FX-BN-FGWT-32	8' BULLNOSE CONCRETE W/TILE - 4/BX	40	8' x 4pcs - 32 Linear FT/Box
FX-CRC-FGWT	8' SHORT PROFILE CONCRETE - 14/BX	100	8' x 14pcs - 112 Linear FT/Box
FX-CRC-FGWT-32	8' SHORT PROFILE CONCRETE - 4/BX	40	8' x 4pcs - 32 Linear FT/Box
FX-ICC-FGWT	8' REGULAR PROFILE CONCRETE/GUNITE - 14/BX	100	8' x 14pcs - 112 Linear FT/Box
FX-ICC-FGWT32	8' REGULAR PROFILE CONCRETE/GUNITE - 4/BX	40	8' x 4pcs - 32 Linear FT/Box
FX-LIVEEDGE2FGWT	2.25" High x 8' LIVE EDGE CONCRETE W/TILE-14/BX + 1 roll of DBL sided tape	100	8' x 14pcs - 112 Linear FT/Box
FX-LIVEEDGE3FGWT	3" High x 8' LIVE EDGE CONCRETE W/TILE -14/ BX + 1 roll of DBL sided tape	100	8' x 14pcs - 112 Linear FT/ Box

## TIPS:

- Use an oil spray (cooking spray) on the face of the profile for easy removal.
- Use the Modern Moulding slide hammer tool to remove the tabs.
- It is recommended to strip the forms the same day, once the concrete has set.


## REMOVAL:

We recommend to strip off forms in 8' sections. Remove locking nail, slide off reusable body, remove the 8' section of foam, snap off perforated area of the disposable clip. Clamp the slide hammer to the 1" remaining portion and pull on a slight diagonal downward to pull it out.


## UNIVERSAL SYSTEM INSTRUCTIONS-2 PCS.

*Used on Fiberglass, Concrete/Shotcrete Pools*


1. Slide the **FX-CC-UD** clips (**See pages 16-17 for clips & accessories**), into the perforated slots through the profile side of the Styrofoam. It is recommended 8-10" apart on a rectangular pool and 10-12" apart on a free form pool.
2. Screw a 1" self tapping screw through one predetermined anchor points., **If you are screwing into an autocover track, make sure the screw is directly behind the cavity wall.**
3. Once all clips have been inserted on an 8' section, set your form tight along your pool wall.
4. Slide the reusable body (**FX-CC-UB**) onto the disposable clip (**FX-CC-UD**), vertically pressing to the form. Insert a small nail into the closest hole to the body, locking it into place.




FX-NC-FGWT




FX-BN-FGWT



FX-ICC-FGWT



FX-CRC-FGWT



FX-SQP-FGWT



FX-LIVEEDGE3FGWT




FX-LIVEEDGE225FGWT




# AQUAMATIC COVER SYSTEMS

\*AVAILABLE IN 112'/BOX


PART #	DESCRIPTION	EXTENDED DESCRIPTION
FX-NCAQUACOVER	8' BULLNOSE AQUAMATIC COVER SYSTEMS-14/BX	8' x 14pcs-112 Linear FT/Box
FX-BNAQUACOVER	8' CAPSTONE AQUAMATIC COVER SYSTEMS-14/BX	8' x 14pcs-112 Linear FT/Box
FX-SQPAQUACOVER	8' SQUARE AQUAMATIC COVER SYSTEMS-14/BX	8' x 14pcs-112 Linear FT/Box
FX-LIVEEDGEAQUA	8' LIVE EDGE AQUAMATIC COVER SYSTEMS-14/BX+1 roll of DBL sided tape	8' x 14pcs-112 Linear FT/Box



FX-NCAQUACOVER




FX-BNAQUACOVER



FX-SQPAQUACOVER




FX-LIVEEDGEAQUA




# AUTOMATIC POOL COVERS

\*AVAILABLE IN 112'/BOX


PART #	DESCRIPTION	EXTENDED DESCRIPTION
FX-NC-APC	8' CAPSTONE AUTOMATIC POOL COVERS -14/BX	8' x 14pcs - 112 Linear FT/Box
FX-BN-APC	8' BULLNOSE AUTOMATIC POOL COVERS-14/BX	8' x 14pcs - 112 Linear FT/Box
FX-SQP-APC	8' SQUARE AUTOMATIC POOL COVERS-14/BX	8' x 14pcs - 112 Linear FT/Box
FX-LIVEEDGE2APC	8' LIVE EDGE 2.25" High AUTOMATIC POOL COVERS-14/BX + 1 roll of DBL sided tape	8' x 14pcs - 112 Linear FT/Box




FX-NC-APC




FX-BN-APC



FX-SQP-APC




FX-LIVEEDGE2APC




# COVER POOLS

\*AVAILABLE IN 112'/BOX


PART #	DESCRIPTION	EXTENDED DESCRIPTION
FX-NCCOVERPOOLT3	8' CAPSTONE COVER POOLS-14/BX	8' x 14pcs - 112 Linear FT/Box
FX-NCCOVERPOOLT4	8' CAPSTONE COVER POOLS-14/BX	8' x 14pcs - 112 Linear FT/Box
FX-BNCOVERPOOLT4	8' BULLNOSE COVER POOLS-14/BX	8' x 14pcs - 112 Linear FT/Box
FX-SQPCVERPOOLT3	8' SQUARE COVER POOLS-14/BX	8' x 14pcs - 112 Linear FT/Box
FX-SQPCVERPOOLT4	8' SQUARE COVER POOLS-14/BX	8' x 14pcs - 112 Linear FT/Box
FX-LIVEEDGE225CP	8' LIVE EDGE COVER POOLS-14/BX+1 roll of DBL sided tape	8' x 14pcs - 112 Linear FT/Box




FX-NCCOVERPOOLT3




FX-NCCOVERPOOLT4



FX-BNCOVERPOOLT4



FX-SQPCVERPOOLT3



FX-SQPCVERPOOLT4




FX-LIVEEDGE225CP




# COVERSTAR

\*AVAILABLE IN 112'/BOX


PART #	DESCRIPTION	EXTENDED DESCRIPTION
FX-NC-COVERSTAR	8' CAPSTONE COVERSTAR-14/BX	8' x 14pcs - 112 Linear FT/Box
FX-BN-COVERSTAR	8' BULLNOSE COVERSTAR-14/BX	8' x 14pcs - 112 Linear FT/Box
FX-SQP-COVERSTAR	8' SQUARE COVERSTAR-14/BX	8' x 14pcs - 112 Linear FT/Box
FX-LIVEEDGE225CS	8' LIVE EDGE 2.25" High-14/BX +1 roll of DBL sided tape	8' x 14pcs - 112 Linear FT/Box




FX-NC-COVERSTAR



FX-BN-COVERSTAR



FX-SQP-COVERSTAR




FX-LIVEEDGE225CS




# INTEGRA

\*AVAILABLE IN 112'/BOX


PART #	DESCRIPTION	EXTENDED DESCRIPTION
FX-NC-INTEGRA	8' CAPSTONE INTEGRA -14/BX	8' x 14pcs - 112 Linear FT/Box
FX-BN-INTEGRA	8' BULLNOSE INTEGRA -14/BX	8' x 14pcs - 112 Linear FT/Box
FX-SQP-INTEGRA	8' SQUARE INTEGRA -14/BX	8' x 14pcs - 112 Linear FT/Box
FX-LIVEEDGE2INTE	8' LIVE EDGE INTEGRA -14/BX + 1 roll of DBL sided tape	8' x 14pcs - 112 Linear FT/Box




FX-NC-INTEGRA



FX-BN-INTEGRA



FX-SQP-INTEGRA




FX-LIVEEDGE2INTE


# RADIUS CORNERS

\*AVAILABLE IN 4 PIECES/BOX


PART #	DESCRIPTION	EXTENDED DESCRIPTION
FX-NC-6RAD	6" RADIUS CORNER CAPSTONE VINYL - 4/BX	4 pieces/ box
FX-BN-6RAD	6" RADIUS CORNER BULLNOSE VINYL - 4/BX	4 pieces / box
FX-SQP-6RAD	6" RADIUS CORNER SQUARE VINYL - 4/BX	4 pieces / box
FX-ICC-6RAD	6" RADIUS CORNER REGULAR VINYL - 4/BX	4 pieces / box




FX-NC-6RAD



FX-BN-6RAD



FX-SQP-6RAD



FX-ICC-6RAD



# CLIPS

PART #	DESCRIPTION	EXTENDED DESCRIPTION
FX-AUTOCOVERCLIP	CANT CLIPS AUTO COVER-100/BOX	Auto Cover-Reusable
FX-CC-FG25	CANT CLIPS FG STAIRS - 25/BOX	Disposable
FX-CC-FG100	CANT CLIPS FG STAIRS - 100/BOX	Disposable
FX-CC-FG150	CANT CLIPS FG STAIRS - 150/BOX	Disposable
FX-CC	CANT CLIP VINYL LINER - 100/BOX	Reusable
FX-CC-UB	REUSABLE UNIV CLIP-BODY - 100/BX	FG/Gunite/Concrete Pools with/ without AC
FX-CC-UD	DISPOSABLE UNIV CLIP - 100/BOX	FG/Gunite/Concrete Pools with/ without AC



FX-AUTOCOVERCLIP



FX-CC-FG25  
FX-CC-FG100  
FX-CC-FG150



FX-CC



*Installation Video*



*\* Universal 2 pc. System*



FX-CC-UB




FX-CC-UD

# ACCESSORIES

PART #	DESCRIPTION	EXTENDED DESCRIPTION
FX-RG286	FILAMENT TAPE 3" X 180'	--
FX-S002	SLIDE HAMMER TOOL - CLIP REMOVER	--
FX-DBLSIDEDTAPE	DOUBLE SIDED TAPE 2" X 108'	1 roll/box
FX-EDGELINER225	REUSABLE RUBBER LINER 2.25" X 10'	2.25" High x 10 Linear FT 1/box
FX-EDGELINER3	REUSABLE RUBBER LINER 3" X 10'	3" High x 10 Linear FT 1/box

FX-S002



FX-DBLSIDEDTAPE



FX-RG286

FX-EDGELINER225  
FX-EDGELINER3









MODERN  
**MOULDING**

